1	UNITED STATES PATENT AND TRADEMARK OFFICE
2	
3	
4	BEFORE THE BOARD OF PATENT APPEALS
5	AND INTERFERENCES
6	
7 0 F	A DED ALMDAIN A REFEREN CHARLECEDWARDS
	parte PER ALMDAHL and JEFFREY CHARLES EDWARDS
9 10	
11	Appeal 2007-3756
12	Application 10/501,325
13	Technology Center 3600
14	recimiology center soos
15	
16	Decided: December 14, 2007
17	·
18	
19	
·	TERRY J. OWENS, JENNIFER D. BAHR, and
	N D.A. McCARTHY, Administrative Patent Judges.
22	
23McCAR	THY, Administrative Patent Judge.
24	
2.5	DECICIONI ON A DDE A I
25	DECISION ON APPEAL
26	
27	STATEMENT OF THE CASE
28 T	he Appellants appeal under 35 U.S.C. § 134 (2002) from the final
29rejection	n of claims 7-9 and 15. We have jurisdiction under 35 U.S.C. § 6(b
30(2002).	
コハ ムハリムナー	

2Appeal No. 2007-3756
3Application 10/501,325
4

The Appellants' invention relates to a riser control device for use in 2sub-sea oil and gas installations. Independent claim 7 and dependent claim 38 are representative of the Appellants' claims and read as follows:

7. A riser control device for use with spool or horizontal production trees for a well in sub-sea oil and gas installations, said device comprising:

a housing;

a pair of radially movable rams *disposed* within said housing, said rams being disposed in opposed relation for isolating the well;

a pair of radially movable shear blades disposed within said housing, said blades being disposed in opposed relation for cutting off an intervention string; and

a vertically disposed actuator assembly, disposed within said housing, for simultaneously driving said rams and said blades.

8. The riser control device as claimed in claim 7, wherein said vertically disposed actuator assembly comprises *a hydraulically driven* annular piston disposed in an annular chamber, a piston rod connected to said piston, and a translation beam connected to said piston rod for transmitting movement of said piston to open or close said rams and blades.

29[Emphasis added.]

- Claims 7-9 and 15 are rejected under 35 U.S.C. § 103(a) as being 31unpatentable over Jones (U.S. Patent 4,580,626) in view of Owens (U.S. 32Patent 4,441,742).
- We affirm the rejection of claims 7 and 15. We reverse the rejection 34of claims 8 and 9.

6Appeal 2007-3756 7Application 10/501,325 8

ISSUE

- The two issues in this appeal are:
- 4 (1) whether the Examiner erred in contending that a riser control 5device including a housing and a vertically disposed actuator assembly 6disposed within the housing driving radially moving shear blades and rams, 7also disposed within the housing, would have been obvious from the 8blowout preventer ["BOP"] taught by Jones and the vertical actuator in 9Owens' connector; and
- 10 (2) whether the Examiner erred in contending that Owens teaches 11an "annular piston."

12


13

FINDINGS OF FACT

The record supports the following findings of fact ("FF") by a 15preponderance of the evidence.

16

1. Jones teaches what the Appellants characterize as a "known 18blowout preventer" ["BOP"]. (Br. 6). Figure 1 of Jones, reproduced below, 19is a side sectional view showing Jones' BOP 20 in an open state with a pipe 2024 extending through a bore 22 in the housing 21 of the BOP:



- 2. The BOP includes a pair of radially disposed cylinders 28 20pposed across the bore 22; a pair of pistons 29 reciprocable within the 3cylinders; a pair of piston rods connected for movement with the pistons; 4and pair of rams 26A and 26B mounted on the piston rods in opposing 5relation for movement between an open position allowing access to a well 6through the bore and a closed position isolating the well. (Jones, col. 7, ll. 714-49). Each ram has a cutting blade (no reference numeral in Fig. 1) for 8shearing the pipe 24 or other structure within the bore when the rams move 9to the closed position. (Jones, col. 7, l. 50 col. 8, l. 14). The cylinders, the 10pistons, the piston rods, the rams and the cutting blades are disposed within 11the housing 21. (Jones, Fig. 1).
- 3. Owens teaches a remotely-operated connector designed to 13secure the lowermost body of a BOP stack to an upright wellhead lower 14body with a large clamping force. (Owens, col. 1, 1. 5-8; col. 2, 1. 65 col. 153, 1. 2 and col. 3, 11. 49-52). The connector includes a housing secured to the 16BOP stack body and vertically-disposed pistons and cylinders which drive 17segment bodies radially into an annular groove in the wellhead body to 18clamp the BOP stack onto the wellhead.
- More specifically, Owens' connector includes vertically 20disposed cylinders and pistons coupled through piston rods to an annular 21driving ring. The driving ring has a frusto-conical inner surface which 22tapers downwardly and radially outwardly from the wellhead body. (Owens, 23col. 4, 1. 56 col. 5, 1. 20). The connector also includes frusto-conical 24follower bodies having outer surfaces parallel to the inner surface of the 25driving ring. (Owens, col. 4, 1l. 42-50 and Fig. 1). Rollers separate the 26facing frusto-conical surfaces of the driving ring and the follower bodies.

14Appeal 2007-3756 15Application 10/501,325

1(Owens, col. 5, ll. 21-32). Each follower body is connected by a connector 2pin to one of the segment bodies. (Owens, col. 4, ll. 50-55).

- 5. Vertical actuation of the pistons and cylinders drives radial 4movement of the segment bodies. When the pistons and their associated 5piston rods retract into the cylinders, the frusto-conical surface of the driving 6ring slides downwardly relative to the facing frusto-conical surfaces of the 7follower bodies. The rollers transfer this relative motion to the follower 8bodies, deflecting the follower bodies and the segment bodies radially 9inwardly toward the annular groove in the wellhead body. (Owens, col. 6, ll. 1026-35). Owens teaches that this actuation assembly improves the efficiency 11of the connector by reducing the sliding friction of the mechanism as 12compared with the friction in conventional connectors. (Owens, col. 7, ll. 1316-44).
- 6. Owens' connector includes a housing. The housing includes a 15segment-carrying ring designed to bolt onto a flange on the lowermost body 16of the BOP stack; a transverse support plate extending radially outwardly 17from the lower end of the segment-carrying ring; a transverse closure 18member extending radially outwardly from the upper end of the segment 19carrying ring; and a cylindrical outer wall member bridging the outer edges 20of the transverse support plate and the transverse closure member. The 21cylinders, the pistons, the driving ring and the follower bodies are all 22disposed in an annular space within this housing. The segment bodies are 23disposed within annular grooves in the segment-carrying ring. (Owens, col. 244, 1l. 3-29 and Fig. 1).

PRINCIPLES OF LAW

A claim is unpatentable for obviousness under 35 U.S.C. § 103(a) if 2 3"the differences between the subject matter sought to be patented and the 4prior art are such that the subject matter as a whole would have been obvious 5at the time the invention was made to a person having ordinary skill in the 6art to which said subject matter pertains." In Graham v. John Deere Co., 7383 U.S. 1 (1966), the Supreme Court set out factors to be considered in 8determining whether claimed subject matter would have been obvious:

9

1

10	Under § 103, the scope and content of the prior art
11	are to be determined; differences between the prior
12	art and the claims at issue are to be ascertained;
13	and the level of ordinary skill in the pertinent art
14	resolved. Against this background the obviousness
15	or nonobviousness of the subject matter is
16	determined.
17	

17

18*Id.*, 383 U.S. at 17.

19 In order to establish a prima facie case that claimed subject matter is 20 obvious, the examiner must articulate reasons consistent with the level of 21 ordinary skill in the art at the time of the invention why (in the words of 35) 22U.S.C. § 103(a)) "the differences between the subject matter sought to be 23patented and the prior art are such that the subject matter as a whole would 24have been obvious at the time the invention was made to a person having 25 ordinary skill in the art to which said subject matter pertains." The examiner 26must derive these reasons from what was within the common knowledge or 27common sense of those skilled in the art at the time of the invention and not 28 from the applicant's specification. See Graham, 383 U.S. at 36 (warning 29against "the temptation to read into the prior art the teachings of the

22Appeal 2007-3756 23Application 10/501,325

1 invention at issue"). On the other hand, the reasons need not be stated 2 explicitly in a prior art reference. *KSR*, 127 S.Ct. at 1741 ("[T]he analysis 3 need not seek out precise teachings directed to the specific subject matter of 4 the challenged claim"). The examiner may look to "interrelated 5 teachings of multiple patents; the effects of demands known to the design 6 community or present in the marketplace; and the background knowledge 7 possessed by a person of ordinary skill in the art, all in order to determine 8 whether there was an apparent reason to combine the known elements in the 9 fashion" recited in the claim. *Id.* at 1740-41.

10

11 ANALYSIS

The Appellants offered arguments regarding the patentability of 13appealed claims 7-9 and 15 in general. In addition, the Appellants offered 14arguments directed specifically to the language of claim 8. (Br. 11). 15Therefore, the Board will consider claims 7 and 15 as a group, with claim 7 16being deemed representative of the group. 37 C.F.R. § 41.37(c)(vii) (2007); 17*In re Dillon*, 919 F.2d 688, 692 (Fed. Cir. 1990) (*en banc*). The Board will 18consider the patentability of claim 8 and claim 9, which depends from claim 198, separately.

20

- The Subject Matter of Claims 7 and 15 is Obvious from Jones in Light
 of Owens
- The first two steps in determining whether the Examiner has 24established a prima facie case for obviousness are to determine the scope

The Board notes that the Appellants did not provide a separate 26subheading for the argument addressing claim 8. *See* 37 C.F.R. 27§ 41.37(c)(vii) (2007).

29Appeal 2007-3756 30Application 10/501,325

1 and content of the prior art; and to ascertain the differences between the 2 prior art and the claims at issue. The prior art of record includes the 3 teachings of Jones and Owens. Jones teaches a BOP which includes a pair 4 of radially movable rams (26A and 26B in Fig. 1, reproduced above) 5 disposed in opposed relation for isolating the well; a pair of radially movable 6 shear blades disposed in opposed relation for cutting off an intervention 7 string; and an actuator assembly (28-31 in Fig. 1) for simultaneously driving 8 the rams and the blades. (FF 2). Jones' BOP differs from the claimed 9 subject matter in that Jones fails to disclose a "vertically disposed actuator 10 assembly" for driving the rams and the blades; and a housing within which 1 the rams, the blades and the vertically disposed actuator assembly are 12 disposed. These elements are taught by Owens.

- The third step in determining whether the Examiner has established a 14prima facie case for obviousness is to resolve the level of ordinary skill in 15the art. The factors which may be considered in determining the level of 16ordinary skill include the teachings of the prior art references themselves and 17the sophistication of the technology. *Daiichi Sankyo Co. v. Apotex, Inc.*, 501 18F.3d 1254, 1256 (Fed. Cir. 2007). Those skilled in the art would have been 19aware that sub-sea structures are exposed to the pressure and corrosive 20effects of seawater. (*E.g.*, Owens, col. 1, l. 61 col. 2, l. 6). Common sense 21would have dictated the desirability of enclosing sensitive parts in protective 22housings. The construction of a suitable housing would not require 23sophisticated technology and would be within the skill in the art, as 24illustrated by the housing described in Owens. (*See* FF 5).
- The final step in determining whether the Examiner has established a 26prima facie case of obviousness is to determine whether the Examiner

33Appeal 2007-3756 34Application 10/501,325

1articulated reasons why the differences between the subject matter sought to 2be patented and the prior art are such that the subject matter as a whole 3would have been obvious to a person having ordinary skill in the art. The 4reasons for combining the teachings of the prior art may arise from the 5nature of the combination itself. For example, it generally is obvious to use 6a technique already known to improve one device in order to improve 7another similar device. *Leapfrog Enterps. v. Fisher-Price, Inc.*, 485 F.3d 81157, 1162 (Fed. Cir. 2007).

- In the present case, it would have been obvious to improve Jones' 10conventional BOP by using the vertically disposed actuation assembly 11taught in Owens. Owens teaches that the vertically disposed actuator 12assembly described therein improves the efficiency with which hydraulic 13pressure is converted into radial sliding motion. (FF 4). Since the range of 14movement of the rams in Jones' BOP and the segment bodies in Owens' 15connector are similar, one of ordinary skill in the art could have predicted 16that the application of Owens' vertically disposed actuator assembly to 17Jones' BOP would have improved the shearing force of the blades for a 18given hydraulic power input. Therefore, the use of Owens' vertically 19disposed actuator assembly in a BOP of otherwise conventional design such 20as Jones' would have been obvious.
- The Appellants argue that if the teachings of Jones and Owens are 22combined, "the resulting structure would simply be a combined BOP and 23connector." (Br. 9). The criterion for obviousness is "not whether the 24references could be physically combined but whether the claimed inventions 25are rendered obvious by the teachings of the prior art." *In re Etter*, 756 F.2d 26852, 859 (Fed. Cir. 1985). Prior art references may teach more than their

37Appeal 2007-3756 38Application 10/501,325

1preferred embodiments. The teachings of the prior art include (but are not 2limited to) the problems which the references address and any improvements 3which the references advance as solutions to those problems. In the present 4case, both the use of Owens' connector to secure Jones' BOP onto a 5wellhead and, more pertinently, the substitution of Owens' vertically 6disposed actuator assembly for the radially disposed assembly of Jones 7would have been obvious from the teachings of the references.

- The Appellants contend that "Owens teaches that the connector 9mechanism is provided in a separate housing or pocket on the *outside* of the 10well housing. This is clearly different from the device defined in claim 7 in 11which the vertically disposed actuator assembly is provided inside the 12housing of the riser control device." (Br. 10 [emphasis in original]). Owens 13suggests (as common sense would have suggested) the disposition of 14sensitive parts such as the actuator assembly, the rams and the blades in a 15protective housing. In other words, the disposition of these parts in a BOP 16housing would have been obvious.
- Claim 7 is not limited to a riser control device housed inside the well 18housing. "During examination, 'claims . . . are to be given their broadest 19reasonable interpretation consistent with the specification, and . . . claim 20language should be read in light of the specification as it would be 21interpreted by one of ordinary skill in the art." *In re American Acad. Of* 22*Science Tech Ctr.*, 367 F.3d 1359, 1364 (Fed. Cir. 2004) (quoting *In re* 23*Bond*, 910 F.2d 831, 833 (Fed. Cir. 1990)). Nevertheless, although claims 24are to be read in light of the specification, they are limited only by their 25language and not by features of the preferred embodiment disclosed in the 26specification. *In re Van Geuns*, 988 F.2d 1181, 1184 (Fed. Cir. 1993).

41Appeal 2007-3756 42Application 10/501,325 43

- Given its broadest reasonable interpretation, the term "housing" as 2used in claim 7 is not limited to the well housing. Jones' use of the term 3"housing" to refer to the entire structure enclosing Jones' BOP, including the 4both the portion of the housing in line with the well head and the horizontal 5pockets in which the cylinders are formed (*See*, *e.g.*, Jones, col. 7, Il. 14-20, 636-44 and 50-54), suggests that those of ordinary skill in the art would not 7understand the term "housing" to be limited to the well housing alone. 8Nothing in the specification suffices to prove use of the term "housing" to 9refer only to the well housing. Therefore, the term "housing" as used in 10claim 7 is broad enough to encompass a riser
- The Appellants have submitted no evidence sufficient to rebut the 12prima facie case. On the record before us, the subject matter of claim 7 was 13obvious. Claim 15 falls with claim 7. On the record before us, the 14Appellants failed to show that the Examiner erred in rejecting claims 7 and 1515 under 35 U.S.C. § 103(a).

16

- 17B. The Subject Matter of Claims 8 and 9 is Not Obvious from Jones in
 18 Light of Owens
- The Examiner rejected claims 8 and 9 as unpatentable over Jones in 20light of Owens. Jones' BOP differs from the subject matter of claim 8 in 21that Jones' BOP does not include a "vertically disposed actuator assembly" 22having "a hydraulically driven annular piston disposed in an annular 23chamber." There is insufficient evidence in the record from the teachings of 24Owens or otherwise to show that the incorporation of this feature into a riser 25control device was within the level of ordinary skill in the art. On the record

45Appeal 2007-3756 46Application 10/501,325

1before us, the subject matter of claim 8 and claim 9, which depends from 2claim 8, is unobvious.

The Examiner contends that Owens' "piston arrangement" is "annular 3 4since these elements are annularly located on the riser " (Ans. 6). 50wens teaches the use of "[a] plurality of circumferentially spaced fluid 6pressure operated rectilinear hydraulic motors" including cylinders to 7actuate the driving ring within Owens' connector. (Owens, col. 4, 1. 65 – 8col. 5, 1. 4). To the extent that the Examiner contends that claims 8 and 9 9cover riser control devices having pluralities of annularly located circular 10pistons as suggested in Owens, the contention is not supported by any 11reasonable interpretation of the claim language. Claim 8 recites "a 12hydraulically driven annular piston," not pistons. Hence, "annular" must be 13a characteristic of a single piston rather than of the location of a plurality of 14pistons. As stated earlier, the absence of any disclosure of "a hydraulically 15driven annular piston disposed in an annular chamber" from the teachings of 16Jones and Owens implies, on the record before us, that the subject matter of 17claims 8 and 9 is unobvious.

18

19 CONCLUSION OF LAW

On the record before us, the Appellants failed to show that the 21Examiner erred in rejecting claims 7 and 15 under 35 U.S.C. § 103(a). The 22Appellants have shown that claims 8 and 9 cannot reasonably be interpreted 23broadly enough to encompass riser control devices having pluralities of 24annularly located circular pistons as suggested in Owens. By doing so, the 25Appellants have shown that the Examiner erred in rejecting claims 8 and 9.

49Appeal 2007-3756 50Application 10/501,325 51 **DECISION** 1 The Examiner's rejection of claims 7 and 15 is affirmed. The 2 3Examiner's rejection of claims 8 and 9 is reversed. No time period for taking any subsequent action in connection with 5this appeal may be extended under 37 C.F.R. § 1.136(a). See 37 C.F.R. 6§ 1.136(a)(1)(iv) (2007). 7 AFFIRMED IN PART AND REVERSED IN PART 8 9 10 11 12jlb 13WENDEROTH, LIND & PONACK, L.L.P. 142033 K STREET N. W. 15SUITE 800 16WASHINGTON, DC 20006-1021